



07/2012

Mod: ASA-200


Production code: MICRON 18 +UC +SP



Diamond
catering equipment



Tav. AA - Ver. 0



Tav. AA - Ver. 0


Pos	Descrizione Description	Note	1250	1563	1875	2500	3125	3750	135°	225°	90°		270°		Cod.	
											DX RH	SX LH	DX RH	SX LH		
1	Portavetro Upper retaining profile	L. 936							1	1	1	1	1	1	10006298	
		L. 1249	1			2									10006299	
		L. 1561		1											10006300	
		L. 1874			1			2							10006301	
2	Vetro - Glass	L. 935							2	2	1	1	1	1	10000014	
		L. 1247	1			2									10000015	
		L. 1560		1		2									10000016	
		L. 1872			1			2							10000169	
		90°	DX - RH						1		1	1			10005588	
			SX - LH						1		1	1			10005589	
		225-270°	DX - RH							1				1	1	10009530
			SX - LH							1				1	1	10009531
		CX 270°												1	1	10009532
		CX 90°											1	1		10005587
3	Battivetro - Lower profile	L. 938							1	1	1	1	1	1	10010386	
		L. 1250	1			2									10010387	
		L. 1562		1		2									10010388	
		L. 1875			1			2							10010389	
		90°	DX - RH						1		1	1			10010391	
			SX - LH						1		1	1			10010392	
			CX								1	1			10010390	
		270°	DX - RH							2				1	2	10010396
			SX - LH							2				1	2	10010397
			CX											1	1	10010395
4	Decoro - Decoration	Giallo - Yellow													20001071	
		Rosso - Red													20001277	
		Blu - Blue													20001299	
		Bianco - White													20010271	
5	Cornice superiore Upper front fascia	L. 1250	1												10010342	
		L. 1563		1											10010343	
		L. 1875			1										10010344	
		L. 2500				1									10010345	
		L. 3125					1								10010346	
		L. 3750						1							10010347	
6	Cornice inferiore - Lower fascia	L. 1250	1												10010334	
		L. 1563		1											10010335	
		L. 1875			1										10010336	
		L. 2500				1									10010337	
		L. 3125					1								10010338	
		L. 3750						1							10010339	
7	Cornice x angoli Facia for corners	CX 90°									1	1			10010368	
		DX 90° DX - RH 90° RH							1		1				10010369	
		SX 90° SX - LH 90° LH							1			1			10010370	
		DX 90° SX - RH 90° LH										1			10010371	
		SX 90° DX - LH 90° RH									1				10010372	
		DX 270° SX - RH 270° LH												1	10010373	
		SX 270° DX - LH 270° RH											1		10010374	
		CX 270°											1	1	10010375	
		DX 270° DX - RH 270° RH								1			1		10010376	
SX 270° SX - LH 270° LH								1				1	10010377			
8	Resistenza - Heater	L. 1150	1												10005339	
		L. 1460		1										1	1	10003265
		L. 1780			1											10005340
		L. 2090								1						10003266
		L. 2400				1										10005341
		L. 2710							1		1	1				10003267
		L. 3030					1									10005342
		L. 3650							1							10005343
9	Decoro - Decoration	Giallo - Yellow													20010363	
		Rosso - Red													20010364	
		Blu - Blue													20010362	
		Bianco - White													20010361	

Tav. AA - Ver. 0

10	Pannello curvo Curved front panel	L. 942			2											10011985
		L. 1250	1													10011986
		L. 1255			2		3									10011987
		L. 1562		1												10011988
		L. 1567				2										10011989
		DX 90° DX - RH 90° RH									1					10011992
		SX 90° DX - LH 90° RH							1		1					10011991
		DX 90° SX - RH 90° LH							1			1				10011990
		SX 90° SX - LH 90° LH										1				10011993
		CX 90°									1	1				10011994
		DX 270° DX - RH 270° RH												1		10011997
		SX 270° DX - LH 270° RH								1				1		10011996
		DX 270° SX - RH 270° LH								1					1	10011995
		SX 270° SX - LH 270° LH													1	10011998
		CX 270°												1	1	10011999
11	Spalla - End panel	DX - RH	●	1	1	1	1	1	1	1	1	1	1	1	1	10011499
		SX - LH	▲	1	1	1	1	1	1	1	1	1	1	1	1	10011500
	Spalla completa Complete End panel	DX - RH	●	1	1	1	1	1	1	1	1	1	1	1	1	10011499
		SX - LH	▲	1	1	1	1	1	1	1	1	1	1	1	1	10011500
12	Boccola spalla - End panel buckle		● ▲	2	2	2	2	2	2	2	2	2	2	2	2	10004333
13	Clip fianco - Side clip		● ▲	2	2	2	2	2	2	2	2	2	2	2	2	10006754
14	Fianco vetro - Side glass	senza chiusura plexiglass without plexiglass	DX - RH ●	1	1	1	1	1	1	1	1	1	1	1	1	10002451
			SX - LH ▲	1	1	1	1	1	1	1	1	1	1	1	1	10002452
		con chiusura plexiglass with plexiglass	DX - RH ●	1	1	1	1	1	1	1	1	1	1	1	1	10003677
			SX - LH ▲	1	1	1	1	1	1	1	1	1	1	1	1	10003678
15	Testina - Side top canopy cap	DX - RH	●	1	1	1	1	1	1	1	1	1	1	1	1	10010176
		SX - LH	▲	1	1	1	1	1	1	1	1	1	1	1	1	10010177

- Q.TÀ PER OGNI LATO DX - Q.TY FOR EACH RH SIDE
- ▲ Q.TÀ PER OGNI LATO SX - Q.TY FOR EACH LH SIDE


Tav. AB - Ver. 0




Tav. AB - Ver. 0

Pos	Descrizione Description	Note	1250	1563	1875	2500	3125	3750	135°	225°	90°		270°		Cod.	
											DX RH	SX LH	DX RH	SX LH		
1	Piedino - Adjustable foot		4	4	4	4	4	4	8	8	6	6	6	6	10003824	
2	Termostato - Thermostat	ID 961	1	1	1	1	1	1	1	1	1	1	1	1	30004064	
3	Interruttore - Switch		2	2	2	2	2	2	2	2	2	2	2	2	30002189	
4	Reattore - Ballast	50HZ 20W									1	1			30000269	
		50HZ 30W	1			1			2	1	1	1	1	1	30000270	
		50HZ 40W		1			1						1	1	30000271	
		50HZ 58W			1		1	2							30000272	
		60HZ 20W									1	1			30009944	
		60HZ 30W	1			1			2	1	1	1	1	1	30009943	
		60HZ 40W		1			1						1	1	30009942	
	60HZ 58W			1		1	2							30009941		
5	Scheda ventilatori - Electronic circuit board		1	1	1	1	1	1	1	1	1	1	1	1	10005355	
6	Sifone - Siphon		1	1	1	1	1	1	2	2	3	3	3	3	10000463	
7	Unità condensatrice - Condensing unit	20A 50HZ	1												10005845	
		25A 50HZ		1											10005844	
		33A 50HZ			1	1			1	1	1	1	1	1	10005846	
		50A2 50HZ					1								10005847	
		58A2 50HZ						1							10005848	
		20A 60HZ	1												10011581	
		25A 60HZ		1											10011582	
		33A 60HZ			1	1			1	1	1	1	1	1	10011583	
		50A2 60HZ					1								10011584	
	58A2 60HZ						1							10011585		
	Unità condensatrice maggiorata Powerful condensing unit	25A 50HZ	1													10005844
		33A 50HZ		1												10005846
		50A2 50HZ			1	1			1	1	1	1	1	1	1	10005847
		58A2 50HZ					1									10005848
		75A2 50HZ						1								10011912
		25A 60HZ	1													10011582
		33A 60HZ		1												10011583
50A2 60HZ				1	1			1	1	1	1	1	1	1	10011584	
58A2 60HZ					1									10011585		
	75A2 60HZ						1								10011913	
8	Vaschetta condensa - Drip tray		1	1	1	1	1	1	1	1	1	1	1	1	30007277	
9	Fiancatina motore	1\3-1/4	1	1	1	1			1	1	1	1	1	1	10005854	
	Condensing unit lower panel	1/2-5/8					1	1							10005855	
10	Squadretta - Fiing end panel piece		2	2	2	2	2	2	2	2	2	2	2	2	30008938	
11	Sportello - Door		1	1	2	3	3	4	1	1	1	1	1	1	10000859	
12	Guarnizione sportello - Door gasket		1	1	2	3	3	4	1	1	1	1	1	1	10004827	
13	Cerniera - Hinge		1	1	2	3	3	4	1	1	1	1	1	1	10004830	
14	Cerniera - Hinge		1	1	2	3	3	4	1	1	1	1	1	1	10004829	
15	Portacarta - Paper holder	L. 500											1	1	10010439	
		L. 850	1	1	2	2	3	3	2	2	2	2			10010108	
16	Gomma montante - Bracket rubber		2	2	2	3	3	3	4	4	3	3	3	3	10010358	
17	Chiusura posteriore Rear cloded panel	L. 1250	1												10007456	
		L. 1563		1											10007457	
		L. 1875			1										10007458	
		L. 2500				1									10007459	
		L. 3125					1								10007460	
		L. 3750						1							10007461	
		135°							1						10009323	
		225°								1					10009568	
		90° DX									1				10009090	
		90° SX										1			10009091	
		270° DX											1		10009387	
		270° SX												1	10009388	
18	Divisorio mobile basso Mobile low glass divider														70006761	
19	Divisorio mobile alto Mobile high glass divider														70000376	
20	Piletta - Drain		1	1	1	1	1	1	1	1	1	1	1	1	30000077	
	Guarnizione - Gasket		1	1	1	1	1	1	1	1	1	1	1	1	30003672	
	Ghiera - Lock nut		1	1	1	1	1	1	1	1	1	1	1	1	30000078	

Tav. AC - Ver. 0



Pos	Descrizione Description	Note	1250	1563	1875	2500	3125	3750	135°	225°	90°		270°		Cod.	
											DX	SX	DX	SX		
											RH	LH	RH	LH		
1	Piano esposizione - Display deck	L. 312		1					2	2	1	1	1	1	10006906	
		L. 625	2	2	3	4	5	6	2	2	1	1	1	1	10001710	
		90°	DX - RH						1		1	1			10003059	
			SX - LH						1		1	1			10003060	
		270°	DX - RH							1				2	2	10009473
SX - LH								1				2	2	10009474		
2	Guarnizione ventilatore - Fan gasket		4	5	6	8	10	12	6	8	4	4	7	7	10000457	
3	Ventilatore - Fan		1	2	2	2	3	3	2	2	2	2	2	2	30001090	
4	Griglia ventilatore - Fan grid		1	2	2	2	3	3	2	2	2	2	2	2	10008610	
5	Evaporatore - Evaporator	L. 1000	1												10006160	
		L. 1313		1											10006879	
		L. 1625			1										10006161	
		L. 2250				1									10006162	
		L. 2875					1								10006163	
		L. 3500						1							10006164	
		135°							1						10009364	
		225°								1					10009578	
		90°	DX - RH								1					10009152
			SX - LH										1			10009153
		270°	DX - RH											1		10009551
SX - LH													1	10009552		
6	Sonda - Probe		1	1	1	1	1	1	1	1	1	1	1	1	30000004	
7	Termometro - Thermometer		1	1	1	1	1	1	1	1	1	1	1	1	30010075	



Pos	Descrizione Description	Note	1250	1563	1875	2500	3125	3750	135°	225°	90°		270°		Cod.
											DX	SX	DX	SX	
											RH	LH	RH	LH	
1	Neon - Neon tube	L. 600									1	1			30001468
		L. 900	1			1			2		1	1	1	1	30001237
		L. 1200		1		1	1			2			1	1	30001238
		L. 1500			1		1	2							30001239
2	Clip neon - Neon tube clip		2	2	2	4	4	4	4	4	4	4	4	4	10003993
3	Cerniera - Hinge		1	2	2	2	4	4	2	4	3	3	1	1	10007484
4	Pistone - Piston (.... ← 03/2001)	500 N		1			2				2	2			30000762
		600 N		1			2		4	4	2	2	2	2	30001388
		700 N	2	1	2	4	2	4							30000763
		770 N			1			2							30007895
	Pistone - Piston (03/2001 →)	500 N		1			2				2	2			30008063
		600 N		1			2		4	4	2	2	2	2	30008065
		700 N	2	1	2	4	2	4							30008064
		770 N			1			2							30008067
5	Cerniera - Hinge		2	3	3	4	6	6	6	6	6	6	4	4	10002680