

10/2019

Mod: DCR37/6-AC

Production code: TT3922SBE

 Model		DCR37/6-AC	
Code Production		TT3922SBE	
Interface :			
			
			
	Overall Dimension (Width-Depth-Height) *open	mm	788x835x1565(2080*)
	Packaging Dimension (WxDxH)	mm	870x830x1530
	Gross weight	Kg	130
	Net weight	Kg	120
	Volume	mc	1,1
	Rack size	mm	600x500
	Max door /hood opening	mm	465
	Max glasses/plate Height	mm	440
	General construction		double skin
	Door/hood Construction		double skin
	Tank construction		deep drawn
	Tank volume	liter	30
	Tank heating element	W	2.500
	Tank surface strainers		Inox
	Wash pump type		double flow
	Wash pump power	W	1.500
	Wash temperature	°C	60
	Boiler type		without pressure
	Boiler volume	liter	12
	Back-flow system		break tank
	Boiler heating element	W	8.000
	Rinse booster pump		yes
	Rinse booster pump power	W	200
	Rinse temperature	°C	80
	Rinse water consumption	Liter /rack	3,0
	Optimal external water pressure	bar	2
	Drain system		Overflow
	Drain pump		KIT (DPS-LC/4-NP)
	Rinse aid dispenser		YES
	Detergent dispenser		KIT (DD-LC/1-NP)
	Water softner	Continuous type	YES
	Wash cycle	sec	60 - 110 - 150 - continuous
	Electric Power	W	9.500
	Electric Connection	V - ph - Hz	400V 3+N 50Hz
	Fuse	A	16
	Plates racks	Nr	YES
	Flat Rack	Nr	YES
	Cutterly Rack	Nr	YES
	Electric cable		YES
	Drain hose		YES
	Fill hose		YES



