


11/2013

Mod: KUB/52AV

Production code: KP12Q2



Diamond
catering equipment



1~ N 230 V Morsettiara
Terminal board
Plaque à bornes
Klembrett
Tablero de bornes

1~ N Spina
Plug
Fiche
Stecke
Clavija

Progetto - Lay Out - Proiet - Entwurf - Proyecto	Area - Area - Area - Zone - Area	Posizione - Item - Position - Position - Posiccion
Offerta - Offer - Offre - Angebot - Oferta	Area - Area - Area - Zone - Area	Posizione - Item - Position - Position - Posiccion

DOUBLE SPACE

UPRIGHT REFRIGERATED DISPLAY UNIT

- Display compartment in tempered glass throughout, externally screen-silk printed
- Softmotion pneumatic flapdoor opening system on the three tempered glass display compartments to reduce energy consumption, increase flexibility of use and offer best exposition value
- LED lighting
- Lower structure in special anti-fingerprint steel
- Black glass electronic panel control board with capacitive keys and HACCP alarms
- Display shelves 41x107 cm in tempered glass with the on AISI 304 stainless steel rack
- Ventilated refrigeration obtained through the evaporator being positioned in the lower part of the structure
- Automatic defrosting by air.



KP12Q2

Mod.									
KP12Q2	+2/+10°C	+30		70	120x66x143	41x107	4	260/292	1000/1120