


MOD : LFD-12L-LX

Production code : P010214DIA.KR


Digital Line

- ▶ Made of stainless steel
- ▶ Energy Room : cordierite dual refractory stone hob
- ▶ Maximum cooking temperature: 400 °C
- ▶ Independent and digital temperature set
- ▶ Armored heating elements
- ▶ Extra-insulation 50mm
- ▶ Door with double glass
- ▶ Possibility of overlapping up to 3 chambers

- ▶ Double ergonomic handle with slowed opening
- ▶ Panoramic glass for a perfect visibility of the cooking chamber
- ▶ Led cooking chamber lighting system
- ▶ Indoor humidity adjustment
- ▶ Premium finishes
- ▶ Digital control
- ▶ Option : full-coverage of the cooking chamber in refractory stone




Single chamber




Code	P010208	P010209	P010210	P010211
External dimensions [mm] WxDxH	1060x890x400	1060x1240x400	1390x915x400	1390x1270x400
Chamber dimensions [mm] WxDxH	700x700x150	700x1050x150	1050x700x150	1050x1050x150
Pizza dimensions [mm]	4x ø350	6x ø350	6x ø350	9x ø350
Supply voltage [50Hz]	400V 3Ph+N	400V 3Ph+N	400V 3Ph+N	400V 3Ph+N
Total power [KW]	7,2	8,85	10,2	13,65
H07RNF cable section [mm²]	5G4	5G4	5G4	5G6
Packaging dimensions [mm] WxPxH	1130x1100x620	1130x1475x620	1130x1475x620	1480x1450x620
Net weight [Kg]	110	140	145	165
Gross weight [Kg]	125	155	160	180

Double chamber







Code	P010212	P010213	P010214	P010215
External dimensions [mm] WxDxH	1060x890x730	1060x1240x730	1390x915x730	1390x1270x730
Chamber dimensions [mm] WxDxH	700x700x150	700x1050x150	1050x700x150	1050x1050x150
Pizza dimensions [mm]	8x ø350	12x ø350	12x ø350	18x ø350
Supply voltage [50Hz]	400V 3Ph+N	400V 3Ph+N	400V 3Ph+N	400V 3Ph+N
Total power [KW]	14,4	17,7	20,4	27,3
H07RNF cable section [mm²]	5G6	5G6	5G10	5G16
Packaging dimensions [mm] WxPxH	1130x1100x950	1130x1475x950	1130x1475x950	1480x1450x950
Net weight [Kg]	175	240	255	275
Gross weight [Kg]	195	260	275	295

ALL-AROUND Kit



Full-coverage of the cooking chamber in refractory stone

CODE	ALL-AROUND	CHAMBER DIMENSIONS
P041000		670 x 685 x 150
P041001		670 x 1035 x 150
P041002		1035 x 670 x 150
P041003		1035 x 1035 x 150

All-Around option should be communicated at the order.