




**MOD : AC/HN6-10-X**

**Production code : 922733**

**01/2026**



## Ventilation Equipment Exhaust Hood without Fan for 6&10 GN1/1 ovens



922733 (HOBT11)

Exhaust hood without fan for  
6&10 1/1GN ovens

### Short Form Specification

#### Item No.

- Constructed in 304 AISI stainless steel
- Equipped with labyrinth filters in 304 AISI stainless steel (positioned on front)
- Suitable for installation on LW COMBI OVENS 6 & 10 GN 1/1.

ITEM #  
MODEL #  
NAME #  
SIS #  
AIA #

### Main Features


- Filtering surface protects against fire hazard.
- Requires connection to an external exhaust air duct.
- Frontal labyrinth and condensation filters are easy to remove and cleanable in a dishwasher.
- Can be used with 6 and 10 GN 1/1 LW combi ovens.
- Double step door opening (PNC 922265) is suggested to improve filtering performance.
- Calculate the air exchange rate for the complete kitchen environment and ensure the compliance with ventilation norms (e.g. VDI 2052 Standard for ventilation of commercial kitchens - or any local reference). An insufficient air exchange rate may cause malfunctioning of the hood.

### Construction

- Constructed entirely in 304 AISI stainless steel.
- Must be installed in a space where normal aeration, according to regulations, is present.
- Prefiltering of exhaust steam through stainless steel labyrinth filters.
- Developed and produced in ISO 9001, ISO 14001 and ISO 50001 certified factory.

**Exhaust Hood without Fan for 6&10 GN1/1 ovens**  
**Ventilation Equipment**

APPROVAL:


**Key Information:**

External dimensions, Width: 875 mm  
External dimensions, Depth: 1070 mm  
External dimensions, Height: 450 mm  
Net weight: 23 kg

**Air Emission:**

Air capacity: