



MOD : TS31-US/H

Production code : TEKP3V2500-DM

02/2026

	Modello - Model - Model - Gerätetyp	TS31-US/H Code Production T E K P 3 V 1 5 0 0 - D M
		
	Descrizione - Description - Description - Beschreibung	3 doors
	Tipo di teglie - Trays type - Type de plateaux - Blechtyp - Tipo de fuentes	E N 4 0 0 x 6 0 0
	Range	-2°C...+8°C
	Scheda Elettronica - Electronic card	EVCO EVX214
	Funzionamento - Operating Mode - Mode de fonctionnemen - Betriebsmodus S = Statico-Static-Statique-Stille Kühlung V = Ventilato-Ventilated-Ventile-Umluftkühlung	① V
	Capacità lorda - Gross Capacity - Capacité brute - Bruttovolumen	I 457
	Dimensioni esterne - External Dimension - Dimensions externes - ußenabmessungen Lunghezza - Width -Largeur - Breite mm 2050 Profondità / con porte aperte - Depth / with open doors Profondeur avec portes ouverte - Tiefe/mit geöffneter Tü mm 860 / 1250 Altezza - Height - Hauteur - Höhe mm 875 / 1075	
	Dimensioni interne - Internal Dimension - Dimensions internes - Innenabmessungen Lunghezza - Width -Largeur - Breite mm 1410 Profondità - Depth - Profondeur - Tiefe mm 600 Altezza - Height - Hauteur - Höhe mm 540	
	Porte - Doors - Portes - Türen	3
	Dotazione Standard - Standard Equipment - Equipement standard - Standardausstattung	Griglia plastificata - Plastic-Coated Grid Grille Plastifiée - Kunststoff-Beschichtetes Gitter EN60x40 3 - 60x40
	N°Bacinelle - Advised N° of containers - N° Conseille de Bacs - Geratene zahl der Behälter	11 GN 1/3 Bacinelle non incluse - Containers are not included Bacs GN pas compris - GN Behälter sind nicht im preis inbegriffen
	Serratura - Lock - Serrure - Schloss ②	☐
	Sbrinamento - Defrost - Dégivrage - Abtauen Type Gas caldo - Hot gas - Gaz chaude - Heissem Gas N° Defrost in 24 hrs. 4 Evaporazione acqua sbrinamento - Evaporation of defrost water Evaporation eau de dégivrage - Tauwasser verdunstung Gas caldo - Hot gas - Gaz chaude - Heissem Gas	
	Compressor Model NEU6210Z Potenza - Power - Puissance - Leistung HP 1/2 Potenza frigorifera - Refrigerant Power - Puissance frigorifique - Kälteleistung watt 660	
	Refrigerante - Refrigerant type - Réfrigérant type - Kältemitteltyp	R134a (GWP 1430)
	Quantità di refrigerante - Refrigerant quantity - Quantité de réfrigérant - Kältemittelmenge gr	360
	Classe Climatica - Climate Class - Classe Climatique - Klima Classe	4 +30°C 55%
	Potenza assorbita - Total Power - Puissance - Leistung watt	550W - 3,4A (680W - 3,8A)
	Tensione alimentazione - Supply Voltage - Tension d'alimentation - Anschlussspannung V 220V/60Hz Voltage ☐	230V~ 50Hz
	Peso Netto - Net weight - Poids net - Netto Gewicht kg	311
	Volume - Volume - Volume - Volumen mc	2,5
	● = Dotazione di serie - Standard equipment - Dotation standard - Serien Ausstattung □ =Optional	



