

05/2018

Mod: E9/PLCA4

Production code: BBEFTA498LC



Diamond
catering equipment



Product Service

Attestation of Conformity

No. N8 14 07 69328 005

Holder of Certificate: EUROTEC S.R.L. DIVISIONE MBM

Via Pontaccio, 10
20121 MILANO MI
ITALY

Product: Grill unit/plate

This Attestation of Conformity is issued on a voluntary basis according to the Low Voltage Directive 2006/95/EC relating to electrical equipment designed for use within certain voltage limits. It confirms that the listed equipment complies with the principal protection requirements of the directive. It refers only to the particular sample submitted for testing and certification. See also notes overleaf.

Test report no.: SIC14026.01



Date, 2014-07-07

Fabrizio Gasparella
(Fabrizio Gasparella)

CE After preparation of the necessary technical documentation as well as the EC conformity declaration the required CE marking can be affixed on the product. Other relevant directives have to be observed.

Page 1 of 5



Product Service

Attestation of Conformity

No. N8 14 07 69328 005

Model(s):

EFT908x, EFT908yyy, EFT908zz,
 EFTA99x, EFTA99yyy, , EFTA99zz,
 EFTA998x, EFTA998yyy, EFTA998zz,
 EFT90x, EFT90yyy, EFT90zz,
 EFT99x, EFT99yyy, EFT99zz,
 EFT998x, EFT998yyy, EFT998zz,
 EFTA49x, EFTA49yyy, EFTA49zz,
 EFTA498x, EFTA498yyy, EFTA498zz,
 EFT45x, EFT45yyy, EFT45zz,
 EFT408x, EFT408yyy, EFT408zz,
 EFT49x, EFT49yyy, EFT49zz,
 EFT498x, EFT498yyy, EFT498zz,
 EFTA911x, EFTA911yyy, EFTA911zz,
 EFTA777x, EFTA777yyy, EFTA777zz,
 EFT777x, EFT777yyy, EFT777zz,
 EFTA477x, EFTA477yyy, EFTA477zz,
 EFT477x, EFT477yyy, EFT477zz,
 EFT106x, EFT106yyy, EFT106zz,
 EFT66x, EFT66yyy, EFT66zz,
 EFT46x, EFT46yyy, EFT46zz

Where:

"x" represents letter "L" (smooth plate) or "R" (striped plate);

"yyy" represents letter LRC (smooth, striped and chrome plate);

"zz" represents letter "RC" (striped and chrome plate) or letter "LC" (smooth and chrome plate) or letter "LR" (smooth and striped plate)

Trade name:

MBM

Parameters:

Rated input voltage:	400 V 3N~
Rated input power:	See Attachment
Rated frequency:	50/60 Hz
Protection class:	I
Degree of protection:	IPX4

Tested according to:

EN 60335-1:2012
 EN 60335-2-38/A1:2008
 EN 62233:2008



Product Service



Product Service

Attachment to

Attestation of Conformity

No. N8 14 07 69328 005

Models	Rated input voltage (VAC)	Rated frequency (Hz)	Rated input power (W)
EFT908x	400	50/60	12000
EFT908yyy			
EFT908zz			
EFTA99x	400	50/60	12000
EFTA99yyy			
EFTA99zz			
EFTA998x	400	50/60	12000
EFTA998yyy			
EFTA998zz			
EFT90x	400	50/60	12000
EFT90yyy			
EFT90zz			
EFT99x	400	50/60	12000
EFT99yyy			
EFT99zz			
EFT998x	400	50/60	12000
EFT998yyy			
EFT998zz			
EFTA49x	400	50/60	6000
EFTA49yyy			
EFTA49zz			

Date, 2014-07-07

Page 3 of 5



Product Service



Product Service

Attachment to

Attestation of Conformity

No. N8 14 07 69328 005

Models	Rated input voltage (VAC)	Rated frequency (Hz)	Rated input power (W)
EFTA498x	400	50/60	6000
EFTA498yyy			
EFTA498zz			
EFT45x	400	50/60	6000
EFT45yyy			
EFT45zz			
EFT408x	400	50/60	6000
EFT408yyy			
EFT408zz			
EFT49x	400	50/60	6000
EFT49yyy			
EFT49zz			
EFT498x	400	50/60	6000
EFT498yyy			
EFT498zz			
EFTA911x	400	50/60	12000
EFTA911yyy			
EFTA911zz			
EFTA777x	400	50/60	8000
EFTA777yyy			
EFTA777zz			

Date, 2014-07-07

Page 4 of 5



Product Service



Product Service

Attachment to

Attestation of Conformity

No. N8 14 07 69328 005

Models	Rated input voltage (VAC)	Rated frequency (Hz)	Rated input power (W)
EFT777x	400	50/60	8000
EFT777yyy			
EFT777zz			
EFTA477x	400	50/60	4000
EFTA477yyy			
EFTA477zz			
EFT477x	400	50/60	4000
EFT477yyy			
EFT477zz			
EFT106x	400	50/60	12500
EFT106yyy			
EFT106zz			
EFT66x	400	50/60	7500
EFT66yyy			
EFT66zz			
EFT46x	400	50/60	5000
EFT46yyy			
EFT46zz			

Note:

"x" represents letter "L" (smooth plate) or "R" (striped plate);

"yyy" represents letter LRC (smooth, striped and chrome plate);

"zz" represents letter "RC" (striped and chrome plate) or letter "LC" (smooth and chrome plate) or letter "LR" (smooth and striped plate)

Date, 2014-07-07

Page 5 of 5



Product Service



Product Service

Attestation of Compliance

No. E8N 15 05 69328 008

Holder of Certificate: EUROTEC S.R.L. DIVISIONE MBM

Viale Europa 24
37045 San Pietro di Legnago (VR)
ITALY

Name of Object: Grill unit/plate

This Attestation of Compliance is issued according to the Directive 2004/108/EC relating to electromagnetic compatibility on a voluntary basis. It confirms that the listed apparatus complies with all essential requirements of the EMC directive and applies only to the sample and its technical documentation submitted to TÜV SÜD Product Service GmbH for testing and certification. See also notes overleaf.

Test report no.: EMC14038.01



Date, 2015-05-22


(Giuseppe Mecchia)

CE After preparation of the necessary technical documentation as well as the EC conformity declaration the required CE marking can be affixed on the product. Other relevant directives have to be observed.

Page 1 of 5



Product Service

Attestation of Compliance
No. E8N 15 05 69328 008**Model(s):**

EFT908x, EFT908yyy, EFT908zz, EFTA99x, EFTA99yyy,
EFTA99zz, EFTA998x, EFTA998yyy, EFTA998zz, EFT90x,
EFT90yyy, EFT90zz, EFT99x, EFT99yyy, EFT99zz, EFT998x,
EFT998yyy, EFT998zz, EFTA49x, EFTA49yyy, EFTA49zz,
EFTA498x, EFTA498yyy, EFTA498zz, EFT45x, EFT45yyy,
EFT45zz, EFT408x, EFT408yyy, EFT408zz, EFT49x,
EFT49yyy, EFT49zz, EFT498x, EFT498yyy, EFT498zz,
EFTA911x, EFTA911yyy, EFTA911zz, EFTA777x, EFTA777yyy,
EFTA777zz, EFT777x, EFT777yyy, EFT777zz, EFTA477x,
EFTA477yyy, EFTA477zz, EFT477x, EFT477yyy, EFT477zz,
EFT106x, EFT106yyy, EFT106zz, EFT66x, EFT66yyy,
EFT66zz, EFT46x, EFT46yyy, EFT46zz

Where:

"x" represents letter "L" (smooth plate) or "R"
(striped plate);

"yyy" represents letter LRC (smooth, striped
and chrome plate);

"zz" represents letter "RC" (striped and chrome
plate) or letter "LC" (smooth and chrome plate)
or letter "LR" (smooth and striped plate)

Trade name:**MBM****Description of
Object:**

Rated input voltage:	400 V 3N~
Rated input power:	See Attachment
Rated frequency:	50/60 Hz
Protection class:	I
Degree of protection:	IPX4

**Tested
according to:**

EN 55014-1:2006/A2:2011
EN 55014-2:1997/A2:2008
EN 61000-3-2:2006/A2:2009
EN 61000-3-3:2013



Product Service



Product Service

Attachment to

Attestation of Conformity

No. E8N 15 05 69328 008

Models	Rated input voltage (VAC)	Rated frequency (Hz)	Rated input power (W)
EFT908x	400	50/60	12000
EFT908yyy			
EFT908zz			
EFTA99x	400	50/60	12000
EFTA99yyy			
EFTA99zz			
EFTA998x	400	50/60	12000
EFTA998yyy			
EFTA998zz			
EFT90x	400	50/60	12000
EFT90yyy			
EFT90zz			
EFT99x	400	50/60	12000
EFT99yyy			
EFT99zz			
EFT998x	400	50/60	12000
EFT998yyy			
EFT998zz			
EFTA49x	400	50/60	6000
EFTA49yyy			
EFTA49zz			

Date, 2015-05-22

Page 3 of 5



Product Service



Product Service

Attachment to

Attestation of Conformity

No. E8N 15 05 69328 008

Models	Rated input voltage (VAC)	Rated frequency (Hz)	Rated input power (W)
EFTA498x	400	50/60	6000
EFTA498yyy			
EFTA498zz			
EFT45x	400	50/60	6000
EFT45yyy			
EFT45zz			
EFT408x	400	50/60	6000
EFT408yyy			
EFT408zz			
EFT49x	400	50/60	6000
EFT49yyy			
EFT49zz			
EFT498x	400	50/60	6000
EFT498yyy			
EFT498zz			
EFTA911x	400	50/60	12000
EFTA911yyy			
EFTA911zz			
EFTA777x	400	50/60	8000
EFTA777yyy			
EFTA777zz			

Date, 2015-05-22

Page 4 of 5



Product Service



Product Service

Attachment to

Attestation of Conformity

No. E8N 15 05 69328 008

Models	Rated input voltage (VAC)	Rated frequency (Hz)	Rated input power (W)
EFT777x	400	50/60	8000
EFT777yyy			
EFT777zz			
EFTA477x	400	50/60	4000
EFTA477yyy			
EFTA477zz			
EFT477x	400	50/60	4000
EFT477yyy			
EFT477zz			
EFT106x	400	50/60	12500
EFT106yyy			
EFT106zz			
EFT66x	400	50/60	7500
EFT66yyy			
EFT66zz			
EFT46x	400	50/60	5000
EFT46yyy			
EFT46zz			

Note:

"x" represents letter "L" (smooth plate) or "R" (striped plate);

"yyy" represents letter LRC (smooth, striped and chrome plate);

"zz" represents letter "RC" (striped and chrome plate) or letter "LC" (smooth and chrome plate) or letter "LR" (smooth and striped plate)

Date, 2015-05-22

Page 5 of 5



Product Service