

01/2010

Mod: NT22/G-(230/1)

Production code: P011F01009



Diamond
catering equipment

KNEADING MACHINE



IFM7 ÷ IFM10 ÷ NT10/G-(230/1) ÷ IFM15
IF17 ÷ IF22 ÷ IF33 ÷ IF42 ÷ IF53
IFM17 ÷ IFM22 ÷ NT22/G-(230/1) ÷ IFM33 ÷ NT33/G-(230/1)
IR17 ÷ IR22 ÷ IR33 ÷ IR42 ÷ IR53
IRM17 ÷ IRM22



**Reseller Stamp for
Warranty**

TECHNICAL DATA

model	power		voltage	machine dimensions	weight	dough weight	bowl capacity	mixing time	bowl dimension ø x h
	Kw	Hp							
IFM7	0,30	0,40	230	25x50x51	41	6	7	24	24x16
IFM10 NT10/G-(230/1)	0,37	0,50	230	27x54x56	48	8	10	30	26x20
IFM15	0,37	0,50	230	32x59x57	50	10	15	40	30x21
IFM17	0,9	1,2	230	35x66x63	79	12	17	48	32x21
IFM22 NT22/G-(230/1)	0,9	1,2	230	40x69x63	82	18	22	70	35x21
IFM33 NT33/G-(230/1)	1,3	1,7	230	44x83x72	110	25	33	100	40x26
IF17	0,75	1	400	35x66x63	72	12	17	48	32x21
IF22	0,75	1	400	40x69x63	75	18	22	70	35x21
IF33	1,5	2	400	44x83x72	104	25	33	100	40x26
IF42	1,5	2	400	47x85x72	107	38	42	140	45x26
IF53	1,5	2	400	53x86x72	110	44	53	170	50x26
IRM17	0,9	1,2	230	35x66x63	97	12	17	48	32x21
IRM22	0,9	1,2	230	40x69x63	100	18	22	70	35x21
IR17	0,75	1	400	35x66x63	90	12	17	48	32x21
IR22	0,75	1	400	40x69x63	93	18	22	70	35x21
IR33	1,5	2	400	44x83x72	126	25	33	100	40x26
IR42	1,5	2	400	47x85x72	130	38	42	140	45x26
IR53	1,5	2	400	53x86x72	134	44	53	170	50x26