

MOD : WR-LV50-MC

Production code : 919051

	Model	WR-LV50-MC		
	Interface:			
				
	Overall Dimension (Width-Depth-Height) *open		mm	575x605(1005*)x820
	Packaging Dimension (WxDxH)		mm	690x670x980
	Gross weight		Kg	62
	Net weight		Kg	56
	Volume		mc	0,45
	Rack size		mm	500x500
	Max door /hood opening		mm	365
	Max glasses/plate Height		mm	325
	Flank construction			single wall
	Door/hood Construction			double wall
	Rack's drives/frame construction			flat
	Tank construction			embossed bottom
	Tank volume		liter	20
	Tank heating element		W	2.100
	Tank surface strainers			optional
	Wash pump type			double flow
	Wash pump power		W	500
	Wash temperature (NOT adjustable)		°C	60
	Boiler type			pressurized
	Boiler volume		liter	6
	Back-flow system			valve
	Boiler heating element		W	3.000
	Rinse booster pump			no
	Rinse booster pump power		W	-
	Rinse temperature (adjustable)		°C	80
	Thermostop			YES
	Rinse water consumption		Liter /rack	2,2
	Optimal external water pressure		bar	2 - 4
	Drain system			overflow pipe
	Drain pump			optional
	Rinse aid dispenser (manually adjustable)			YES
	Detergent dispenser (manually adjustable)			optional
	Wash cycle		sec	120
	Electric Power		W	3.500
	Electric Connection		V - ph - Hz	230V 1N 50Hz
	Fuse		A	16
	Water softner			NO
	Plates racks			YES
	Flat Rack			YES
	Cutterly Rack			YES
	Electric cable			YES
	Drain hose			YES
	Fill hose			YES

