

MOD : WR-LV50-MPSC

Production code : 919052

		Model	WR-LV50-MPSC	
Interface:				
				
	Overall Dimension (Width-Depth-Height) *open	mm	575x605(1005*)x820	
	Packaging Dimension (WxDxH)	mm	690x670x980	
	Gross weight	Kg	62	
	Net weight	Kg	56	
	Volume	mc	0,45	
	Rack size	mm	500x500	
	Max door /hood opening	mm	365	
	Max glasses/plate Height	mm	325	
	Flank construction		single wall	
	Door/hood Construction		double wall	
	Rack's drives/frame construction		flat	
		Tank construction		embossed bottom
Tank volume		liter	20	
Tank heating element		W	2.100	
Tank surface strainers			optional	
	Wash pump type		double flow	
	Wash pump power	W	500	
	Wash temperature (NOT adjustable)	°C	60	
	Boiler type		pressurized	
	Boiler volume	liter	6	
	Back-flow system		valve	
	Boiler heating element	W	3.000	
	Rinse booster pump		no	
	Rinse booster pump power	W	-	
	Rinse temperature (adjustable)	°C	80	
	Thermostop		YES	
	Rinse water consumption	Liter /rack	2,2	
	Optimal external water pressure	bar	2 - 4	
	Drain system		overflow pipe	
	Drain pump		standard built in	
	Rinse aid dispenser (manually adjustable)		YES	
	Detergent dispenser (manually adjustable)		optional	
	Wash cycle	sec	120	
	Electric Power	W	3.500	
	Electric Connection	V - ph - Hz	230V 1N 50Hz	
	Fuse	A	16	
	Water softner		NO	
	Plates racks		YES	
	Flat Rack		YES	
	Cutterly Rack		YES	
	Electric cable		YES	
	Drain hose		YES	
	Fill hose		YES	

