






MOD : WR-LVCD-D6



Production code : TH50MEBEDD

		Model	WR-LVCD-D6	
		Code Production	TH50MEBEDD	
Interface :				
				
	Overall Dimension (Width-Depth-Height) *open		mm	706x800x1479(1909*)
	Packaging Dimension (WxDxH)		mm	760x840x1520
	Gross weight		Kg	100
	Net weight		Kg	90
	Volume		mc	0,98
	Rack size		mm	500x500
	Max door /hood opening		mm	400
	Max glasses/plate Height		mm	385
	General construction		single skin	
	Door/hood Construction		single skin	
	Tank construction		deep drawn	
	Tank volume		liter	15
	Tank heating element		W	2.100
	Tank surface strainers		optional	
	Wash pump type		double flow	
	Wash pump power		W	500
	Wash temperature (NOT adjustable)		°C	60
	Boiler type		pressurized	
	Boiler volume		liter	6
	Back-flow system		valve	
	Boiler heating element		W	6.000
	Rinse booster pump		NO	
	Rinse booster pump power		W	-
	Rinse temperature (adjustable)		°C	80
	Thermostop		YES	
	Rinse water consumption		Liter /rack	2,0
	Optimal external water pressure		bar	2 – 4
	Drain system		overflow pipe	
	Drain pump		optional	
	Rinse aid dispenser		YES	
	Detergent dispenser (manually adjustable)		YES	
	Wash cycle		sec	120
	Self cleaning program		YES	
	Electric Power		W	6.500
	Electric Connection		V - ph - Hz	400V 3N 50Hz
	Fuse		A	16
	Plates racks		YES	
	Flat Rack		YES	
	Cutterly Rack		YES	
	Electric cable		YES	
	Drain hose		YES	
	Fill hose		YES	

A		Ø 35 mm M	A		Ø 35 mm M
B		G 3/4" M	B		G 3/4" F
C		Power supply			



* LUCE UTILE PER CESTELLO
USEFUL SPACE FOR BASKET
LUMIERE UTILE POUR PANIER
NUTZBARE OFFNUNG FÜR KORBE
ABERTURA UTIL PARA CESTO



Installation layout

Hood type

Designed by:

Date:

16.05.2014

Determination:

