



MOD : DCS9/EV

Production code : N5223BE0ACD

08/2026

MODEL: DCS9/EV



Overall Dimension (Width-Depth-Height) *open	mm	724x935x1590 *2090
Packaging Dimension (WxDxH)	mm	760x840x1600
Gross weight	Kg	115
Net weight	Kg	105
Volume	mc	1




Interface



	Rack size	mm	500x500
	Max door /hood opening	mm	470
	Max glasses/plate Height	mm	450
	General construction		double skin
	Door/hood Construction		double skin
	Tank construction		deep drawn
	Tank volume	liter	20
	Tank heating element	W	2.500
	Tank surface strainers		Inox
	Wash pump type		double flow
	Wash pump power	W	700
	Wash temperature	°C	60
	Boiler type		without pressure
	Boiler volume	liter	7
	Back-flow system		break tank
	Boiler heating element	W	8.000
	Rinse booster pump		yes
	Rinse booster pump power	W	200
	Rinse temperature	°C	80
	Rinse water consumption	Liter /rack	2,0
	Optimal external water pressure	bar	0,5-6
	Drain system		deep drain
	Drain pump		YES
	Rinse aid dispenser		YES
	Detergent dispenser		YES
	Water softner	Continuous type	NO
	Wash cycle	sec	60 - 110 - 150 - continuous
	Electric Power	W	8.700
	Electric Connection	V - ph - Hz	400V 3+N 50Hz
	Fuse	A	16
	Plates racks		YES
	Flat Rack		YES
	Cutterly Rack		YES
	Electric cable		YES
	Drain hose		YES
	Fill hose		YES




A		Ø 32 mm
B		G 3/4"
C		Power supply



SEZ. A-A

* LUCE UTILE PER CESTELLO
USEFUL SPACE FOR BASKET
LUMIERE UTILE POUR PANIER
NUTZBARE OFFENUNG FÜR KORBE
ABERTURA UTIL PARA CESTO



Installation layout Hood type, drain Pump

Date: 01.06.2024

Denomination :

