



**MOD : DCS9/EV-RC**

**Production code : N5223BE0ARCD**

**08/2026**


MODEL: DCS9/EV-RC

|                                              |    |                            |
|----------------------------------------------|----|----------------------------|
| Overall Dimension (Width-Depth-Height) *open | mm | 724x812x2283               |
| Packaging Dimension (WxDxH)                  | mm | 760x840x1600 +(700x750x30) |
| Gross weight                                 | Kg | 135 +(25)                  |
| Net weight                                   | Kg | 125 +(23)                  |
| Volume                                       | mc | 1,1 +(0,15)                |






|  |                                 | Interface       |                             |
|--|---------------------------------|-----------------|-----------------------------|
|  | Rack size                       | mm              | 500x500                     |
|  | Max door /hood opening          | mm              | 470                         |
|  | Max glasses/plate Height        | mm              | 450                         |
|  | General construction            |                 | double skin                 |
|  | Door/hood Construction          |                 | double skin                 |
|  | Tank construction               |                 | deep drawn                  |
|  | Tank volume                     | liter           | 20                          |
|  | Tank heating element            | W               | 2.500                       |
|  | Tank surface strainers          |                 | Inox                        |
|  | Wash pump type                  |                 | double flow                 |
|  | Wash pump power                 | W               | 700                         |
|  | Wash temperature                | °C              | 60                          |
|  | Boiler type                     |                 | without pressure            |
|  | Boiler volume                   | liter           | 7                           |
|  | Back-flow system                |                 | break tank                  |
|  | Boiler heating element          | W               | 8.000                       |
|  | Rinse booster pump              |                 | yes                         |
|  | Rinse booster pump power        | W               | 200                         |
|  | Rinse temperature               | °C              | 80                          |
|  | Rinse water consumption         | Liter /rack     | 2,0                         |
|  | Optimal external water pressure | bar             | 0,5-6                       |
|  | Drain system                    |                 | deep drain                  |
|  | Drain pump                      |                 | YES                         |
|  | Heat recovery fan               | W               | 50                          |
|  | Heat recovery air flow          | m³/h            | 680                         |
|  | Rinse aid dispenser             |                 | YES                         |
|  | Detergent dispenser             |                 | YES                         |
|  | Water softner                   | Continuous type | NO                          |
|  | Wash cycle                      | sec             | 60 - 110 - 150 - continuous |
|  | Electric Power                  | W               | 8.700                       |
|  | Electric Connection             | V - ph - Hz     | 400V 3+N 50Hz               |
|  | Fuse                            | A               | 16                          |
|  | Plates racks                    |                 | YES                         |
|  | Flat Rack                       |                 | YES                         |
|  | Cutterly Rack                   |                 | YES                         |
|  | Electric cable                  |                 | YES                         |
|  | Drain hose                      |                 | YES                         |
|  | Fill hose                       |                 | YES                         |

|   |                                                                                   |              |
|---|-----------------------------------------------------------------------------------|--------------|
| A |  | Ø 32 mm      |
| B |  | G 3/4"       |
| C |  | Power supply |



\* LUCE UTILE PER CESTELLO  
USEFUL SPACE FOR BASKET  
LUMIERE UTILE POUR PANIER  
NUTZBARE OFFNUNG FÜR KORBE  
ABERTURA UTIL PARA CESTO



Installation layout

Date:  
07/06/2024

Hood type, steam recovery,  
drain pump

Code: NH52ARPS 00  
Rev.:

