
MOD : IN/HOT18X

Production code : 19109834

10/2026



Catalogue
SILVER

Specific model
IN/HOT18X


21/09/2026

The photo may show the standard model and not the configurated one

DENOMINATION:

- Foodshield with light and ceramic heat specially designed to keep hot food (e.g. soup, stew, pasta, rice, sauces, meat, etc.) and increase the conservation time on the surface of the food during service. Powerful halogen light to enhance display of hot products. Anti-breath features to improve food hygiene as well as anti-vapor funtion to guarantee guest protection.
- Manufactured in stainless steel with a solid and robust structure.
- To be installled over hot technical elements such as glass ceramic plates or bain marie wells.
- Light and heat generated by protected halogen lamps and alternating ceramic elements.
- Light by protected halogen lamps, integrated side to side, improving the original appearance of hot food on display.
- Heat transmission by high-efficiency infrared ceramic. Ceramic elements provide a more intense and concentrated heat, creating a warm wrap around the food, without drying or discoloring it.
- Brackets are easily mounted on the structure by means of threaded plates.
- 35 mm distance between the bracket and the foodshield with light and heat to make cleaning operations easier.
- Stainless steel vertical brackets, with Ø 51 mm tube round section profile, ensuring aesthetic uniformity across the service line.

DIMENSIONS



X Width	1739 mm	X Gross width	1760 mm
Y Depth	142 mm	Y Gross depth	520 mm
Z Height	483 mm	Z Gross height	135 mm
Net Weight	22,0 kg	Gross Weight	24,0 kg
Net volume	0,119 m3	Gross volume	0,124 m3


ELECTRICITY TECHNICAL SPECIFICATIONS

Electric power	1,650 kW
Voltage	220-240V
Phases	1N
Electric frequency	50/60Hz
Amperage (A)	7,2A

TECHNICAL FEATURES

Cut-out Lenght (mm)	1695
Capacity (GN)	5 x GN1/1
Function	Halogen light and ceramic heat

Halogen light and ceramic heat



	X	Y	Z
2GN	784	671	722
3GN	1109	996	1047
4GN	1434	1321	1372
5GN	1759	1646	1697
6GN	2084	1971	2022